Material Safety Data Sheet (Complies with ANSI Z400.1-1998)

Product Name:	Volumizing Dry Shar	npoo Spray, 94% VOC	MSDS#
	8-77	-Fee -Fee J, Fee G	ULT003
Product Code:	ULT15610		Issued: 01/21/13

Section 1. Chemical Product and Company Identification						
Product Name: Volumizing Dry Shampoo Spray,	94% VOC	(
Product Code: ULT15610						
Product Class: Aerosol Hair Spray						
For Further 1	Informatio	on Contai				
USP	Mon-Fri 7	elephone:	1 760 842 7700; 8 am to 5 pm PT			
1818 Ord Way	_ 1	iax;	1 760 842 7701			
Oceanside, CA 92056	C)	Veb 3ite:	www.enjoyprofessional.com			
For Chemical Emergencies:						
Spill, Leak, Fire or Accident		Telephone:	North America Only			
Call			All Others			

Section 2. Composition and Information on Ingredients								
Hazardous Components	CAS#	Vapor Pressure	Weight	ACGIH TLV		OSHA PEL		Units
Tiuzuruous Components	CAS#	Tuper Fressure	%	TWA	STEL	TWA	STEL	uniis
Specially Denatured Alcohol	64-17-5	44 mmHg@ 68 °F	≤30	1000		1000		ррт
Liquefied Petroleum Gas	68476-86-8	46 psig@ 70 °F	≤70	1000		1000		ррт
		2)						

NE = not established for this material.

ChemTrec Customer Number:

^{** =} Components marked with double asterisk are present above De minimus cut off level and subject to the reporting requirements of Section 313 of Title III under SARA and 40 CFR Part 372.

Section 3. Hazard Identification				
Warning: Flammable. Contents under pressure. Container may burst if heated. Do not place in heater, or near radiators, stoves or other sources of heat. Do not purcture or incinerate container or stopen flame or spark or other sources of ignition in the contents of the contents can be harmful or fatal.				
	Potential Health Effects:			
Eye contact:	Contact may cause mild eye irritation including stinging, watering, and redness.			
Skin contact:	Practically non-irritating to skin. Prolonged or repeated contact may result in deffating and drying to the skin which may result in skin irritation and domatitis.			
Contains asphyxiant gases. Intentional inhalation of gases may cause headache, fatigue, weak mental confusion, mood disturbances, and decreased coordination and judgment. Severe overexposition of gases may cause headache, fatigue, weak mental confusion, mood disturbances, and decreased coordination and judgment. Severe overexpositions are produced more serious symptoms, including come and death.				
Ingestion:	No harmful or chronic effects are expected to occur from a single accidental ingestion. Intentional and continuous ingestion can cause serious effects on liver and kidney. Contains denatured alcohol.			
Chronic Effects:	None when used as directed			

		Material Safety Data Sheet			
		(Complies with ANSI Z400.1-1998)			
Product Name:	Volumizing Dry Shampoo Spray,	94% VOC	MSDS#		
Product Code:	ULT15610		ULT003 Issued: 01/21/13		
	Section 4. First Aid Measures				
Еуе:	Flush or rinse eye with tempered irritation or redness persists seek n	water while holding eyelid open. Remove continued attention.	act leaves, if worn. If		
Skin:	Clean affected area(s) thoroughly by washing with mild soap and water, pat dry. If irritation or redness develops and persists, seek medical attention.				
I IIII III III III.	If breathing difficulties develop, a oxygen as necessary. Seek immedi	move victim away from source of exposure an iate medical attention.	into fresh air, give		
Ingestion:	DO NOT induce vomiting. Have a	conscious person drink two glasses of water. See	ek medical attention.		

	Section 5. Fire Fighting Measures				
Flammability	Flammable pursuant to CFR 16, Ch II Subchapter C, part 1500.45.				
Classification:					
Aprosol Longle	Level 3 Aerosol (REF: to NFPA 30B, Section 1-7 of August 6, 1998). Code for the Manufacture and Storage				
Herosot Levet.	of Aerosol Products.				
Unusual Fire &	Aerosols may burst at temperatures above 120 °F. Contents under pressure. Cool uninvolved containers				
Explosion Hazards:	to prevent possible bursting.				
Extinguishing Media:	Use extinguishing agent suitable for type of surrounding fire.				
	The use of self-contained breathing apparatus is recommended for fire fighters. Fight fire upwind.				
Fire Fighting	Containers exposed to intense heat from fires must be cooled with water to prevent vapor pressure				
Instructions:	Ibuildup which could recult in container traduce. Keep containers cooled with water and remove them				
THE THE CHOILS.	from danger if it can be done with minimal risk. Aerosols can be projectiles when bursting. If aerosols				
	are bursting, stay clear until bursting is complete.				

	Section 6. Accidental Release Measures
Large Spills:	

Keep sources of ignition and hot metal surfaces isolated from spill. Stay upwind and away form spill/release. Isolate immediate hazard area and keep unauthorized personnel out. Stop spill/release if it can be done with minimal risk. Wear appropriate protective equipment including respiratory protection as conditions warrant. Water may be useful in minimizing or dispersing vapors. Keep out of water supplies.

Section 7. Handling and Storage.				
	Contents under pressure. Handle as to avoid puncturing container(s). When used as intended, no			
Handling:	additional protective equipment is necessary. Use chemical washes if likelihood of eye contact. Wash			
	unintentional residue with soap and water.			
	Store aerosol containers in cool, dry, well-ventilated areas away from heat and direct sunlight. Avoid			
Storage:	temperatures above 120 °F. Keep away from any incompatible material (see section 10). Protect			
	container(s) against physical damage. To avoid unintertional spraying keep protective cap in place			
	when not in use.			

Material Safety Data Sheet					
		(Complies with ANSI Z400.1-1998)			
Product Name:	Volumizing Dry Shampoo Spray,	94% VOC	MSDS #		
Product Code:			ULT003 Issued: 01/21/13		
	Section 8. Exposure Controls / Personal Protection				
Engineering Controls:	A well ventilated room with adequate are constitution. Use local and general exhaust ventilation to effectively remove and prevent buildup of varors/mist generated from the handling of this product.				
Respiratory:	If used with adequate ventilation, no protective equipment is necessary.				
Skin:	Not required based on the hazard of the material.				
Еуе/Гасе:	While contact with this material is not expected to cause appreciable irritation, the use of approved eye protection to safeguard against potential eye contact is considered good practice.				
Other Protective		e available in the work area for flushing eyes a	nd skin. Impervious		
Equipment:	ment: clothing should be worn as needed.				

	Section 9. Physical	and Chemical Properties.
	Concentrate Only:	Finished Product:
	Light milky white liquid	Vapor Pressurer 80 90 psig @ 70 °F
Boiling Range:	< 100 °F (38 °C)	
Flash Point:	48 ºF	
Specific Gravity:	0.850 (water-1)	
pH:	Not Determined	
Weight per Gallon:	7.083 # gai	
Solubility (water):	Insoluble	

	Section 10. Stability and Reactivity
Chemical Stability:	Stable under normal conditions of storage and handling
Conditions to Avoid:	High temperatures, above 120 °F, open flames and sparks.
Incompatible	Avoid contact with strong oxidizing and reducing agents. Strong acids and bases. (Household
Materials	Ammonia, Drain Openers etc.)
Hazardous	Combustion may produce carbon monoxide, carbon dioxide and other unidentified organic
Decomposition	compounds
Proquets:	
Hazardous	Will not occur.
Polymerization:	Will flot occur.

Section 11. Toxicological Information

No definitive information found on carcinogenicity, mutagenicity, target organs or developmental toxicity.

Section 12/Ecological Information

Not found

Section 13. Disposal Considerations

Along with properly characterizing all waste materials, consult state and local regulations regarding the proper disposal of this material.

	Material Safety Date	a Sheet
	(Complies with ANSI Z400.1-	1998)
Product Name: Volumizing Dry Shampoo Spray, 9	4% VOC	MSDS#
Product Code: ULT15610		ULT003 Issued: 01/21/13
Section 14. Tra	ansport Information	
1. DOT (Ground)	2008 ERG #: 126	
Shipping Name: Consumer Commodity	\wedge	
Hazard Class: ORM-D		
2. IMDG (Overseas)	EmS: Y-U, S-U	
Shipping Name: Aerosols		
Class: 2.1		
UN No.: 1950		
3. IATA (Air)		
Shipping Name: Consumer Commodity		
Class: 9		
ID No.: ID8000		
Label: Miscellaneous Dangero	ous Coods Class 9	
Packaging Instructions: 910		

Section 15. Regulatory Information	
Toxic Chemicals List under SARA Section 313 of the Title III and 40 CFR Part 372.	
None	
Chemicals under California Proposition 65	
None	_
Flammability Classification 16 CFR, Ch II Subch. C. Part 1500.45	17-
Flammable	
Code of Manufacture and Storage of Aerosot Products NFPA 30B	
Level 3 Aerosol	0.0

Section 16. Documen	tary Information
Issue Date: 01/21/13 ()	
Revised: NEW	
Product Code: ULT13610	

Disclaimer of Expressed and Implied Warranties.

The information in this document is believed to be correct as of the date issued. **IOWEVER*, NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR ANY OTHER WARRANTY IS EXPRESSED OR IS TO BE IMPLIED REGARDING THE ACCURACY OR COMPLETENESS OF THIS INFORMATION, THE RESULTS TO BE OBTAINED FROM THE USE OF THIS INFORMATION OR THE PRODUCT, THE SAFETY OF THIS PRODUCT, OR THE HAZARDS RELATED TO ITS USE. This information and product are furnished on the condition that the person receiving them shall make his own determination as to the suitability of the product for his particular purpose and on the condition that he assumes the risk of his use thereof.